# **Building product declaration**

according to BPD associations' standardised format eBVD

2019-05-03 16:45:54

Gyproc Teleskopskena

### 1. COMPANY INFORMATION

### Saint - Gobain Sweden AB Gyproc

Company name:	Organisation number:		
Saint - Gobain Sweden AB Gyproc	556241-2592		
Address:	Contact person:		
Kalmarleden 50	Katarina Edlund		
E-mail:	Telephone:		
katarina.edlund@saint-gobain.com	+46 (0)72-189 68 39		
VAT number:	Website:		
GLN:	DUNS:		
Company was last saved			
2022-11-07 10:09:57			
Company's certification			
✓ ISO 9001 ✓ ISO 14001			
Other:			
Policies and guidelines			
The company has a code of conduct/policy/guidelines for dealing with social responsibility in the supplier chain, including produces for ensuring the requirements			
This is third-party audited			
If yes, which if the following guidelines have you affiliated to or management system you have implemented			
UN guiding principles for companies and human rights			
ILO's eight core conventions			
OECD Guidelines for Multinational Enterprises			
✓ UN Global Compact			
ISO 26000			
Other policy guidelines			
ISO 50 001			

### **Management system**

If you have a management system for corporate social responsibility, what out of the following is included in the work?

Mapping Risk analysis

Action plan

Monitoring

Sustainability reporting guidelines:

### 2. ARTICLE INFORMATION

#### **Document data**

Id: Version:

C-SE556241259201-28

Created: Last saved:

2019-05-03 16:39:54 2019-05-03 16:45:46

Changes relates to:

Uppdatering av legeringsgrad och namn

### Gyproc Teleskopskena

Article name:

Gyproc Teleskopskena

#### Article No/ID concept

Article identity: GTIN

7318931927086, 7318931927123, 7318931927154, 7318931927185, 7318936662494, 7318936662708, 7318936662715, 7318936662722, 7318936662746, 7318936667222, 7318936681174, 7318936681198, 7318936681211, 7318936681228, 7318936681303, 7318936681310, 7318936681327, 7318936681501, 7318936681518, 7318936681525, 7318936681532, 7318936681624, 7318936681631, 7318936681648, 7318936681655, 7318936681860

#### Product group/Product group classification

Product group system	Product group id
BK04	01511

Article description:

Gyproc teleskopskena används för teleskopanslutningar till Gyproc inneväggar. Gyproc teleskopskena finns för 40 mm och 80 mm nedböjning och för två och tre gipslag. Teleskopskenan finn även för schaktvägg och dubbelstomme.

Declarations of performance: Declaration of performance number:

Yes DoP No: GSP14195

Other information:

### 3. CHEMICAL CONTENT

#### **Chemical content**

Does the declaration apply to a product or chemical product?

Enter chemical content for the whole article. The concentration is calculated at component level according to the principle of "once an article always an article".

Is there a safety data sheet for the article?

Not applicable

Is there classification of the article?

Not applicable

If yes, indicate the classification of the product under Regulation (EC) No

Enter which version o		, ,			
The article is covered	by the RoHS Directive:		Enter the weight of the article:		
No	.,				
	portion of the material conte	nt has been declared [%			
]: 100					
	ent is not declared, please st	ate the reason			
If the article contains	nanomaterials deliberately a	dded to obtain a particular fu	nction, enter these here:		
Innehåller inte nanom	aterial/nanopartiklar				
	nanomaterials deliberately ac en reported to the Product R				
	of volatile organic substances arnishes and adhesives:	[g/litre], applies only			
0					
Article and/or	sub-components				
Phase	Delivery				
Component	Varmförsinkad stålp	låt S350GD+Z 275	Weight% of product	=100	
Comment					
		0 4 4	<b>TO/OAO/A/</b>	0 11 1	DI!
Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
Material	Substance Fosfor, P				
Material		interval (%)	designation		
Material	Fosfor, P	interval (%) <=0.1	designation 7723-14-0		
Material	Fosfor, P Järn, Fe	interval (%) <=0.1 >97	<b>designation</b> 7723-14-0 7439-89-6		
Material	Fosfor, P Järn, Fe Kisel, Si	interval (%) <=0.1 >97 <=0.6	designation 7723-14-0 7439-89-6 7440-21-3		
Material	Fosfor, P Järn, Fe Kisel, Si Kol, C	interval (%) <=0.1 >97 <=0.6 <=0.2	designation 7723-14-0 7439-89-6 7440-21-3 7440-44-0		
Material	Fosfor, P Järn, Fe Kisel, Si Kol, C Mangan, Mn	interval (%) <=0.1 >97 <=0.6 <=0.2 <=1.7	designation 7723-14-0 7439-89-6 7440-21-3 7440-44-0 7439-96-5		
	Fosfor, P Järn, Fe Kisel, Si Kol, C Mangan, Mn Svavel, S Zinkskikt	interval (%) <=0.1 >97 <=0.6 <=0.2 <=1.7 <=0.045	designation 7723-14-0 7439-89-6 7440-21-3 7440-44-0 7439-96-5 7704-34-9 7440-66-6		
CAS	Fosfor, P Järn, Fe Kisel, Si Kol, C Mangan, Mn Svavel, S	interval (%) <=0.1 >97 <=0.6 <=0.2 <=1.7 <=0.045	designation 7723-14-0 7439-89-6 7440-21-3 7440-44-0 7439-96-5 7704-34-9		
	Fosfor, P Järn, Fe Kisel, Si Kol, C Mangan, Mn Svavel, S Zinkskikt	interval (%) <=0.1 >97 <=0.6 <=0.2 <=1.7 <=0.045 <2	designation 7723-14-0 7439-89-6 7440-21-3 7440-44-0 7439-96-5 7704-34-9 7440-66-6		
CAS	Fosfor, P Järn, Fe Kisel, Si Kol, C Mangan, Mn Svavel, S Zinkskikt  H-phrase	interval (%) <=0.1 >97 <=0.6 <=0.2 <=1.7 <=0.045 <2	designation 7723-14-0 7439-89-6 7440-21-3 7440-44-0 7439-96-5 7704-34-9 7440-66-6		
CAS 7723-14-0	Fosfor, P Järn, Fe Kisel, Si Kol, C Mangan, Mn Svavel, S Zinkskikt  H-phrase  H412 - Aquatic Ch	interval (%) <=0.1 >97 <=0.6 <=0.2 <=1.7 <=0.045 <2	designation 7723-14-0 7439-89-6 7440-21-3 7440-44-0 7439-96-5 7704-34-9 7440-66-6		
<b>CAS</b> 7723-14-0 7704-34-9	Fosfor, P Järn, Fe Kisel, Si Kol, C Mangan, Mn Svavel, S Zinkskikt  H-phrase  H412 - Aquatic Ch H315 - Skin Irrit. 2	interval (%) <=0.1 >97 <=0.6 <=0.2 <=1.7 <=0.045 <2	designation 7723-14-0 7439-89-6 7440-21-3 7440-44-0 7439-96-5 7704-34-9 7440-66-6  Exposure		
CAS 7723-14-0 7704-34-9  Phase	Fosfor, P Järn, Fe Kisel, Si Kol, C Mangan, Mn Svavel, S Zinkskikt  H-phrase  H412 - Aquatic Ch H315 - Skin Irrit. 2	interval (%) <=0.1 >97 <=0.6 <=0.2 <=1.7 <=0.045 <2	designation 7723-14-0 7439-89-6 7440-21-3 7440-44-0 7439-96-5 7704-34-9 7440-66-6  Exposure		
CAS 7723-14-0 7704-34-9  Phase Component	Fosfor, P Järn, Fe Kisel, Si Kol, C Mangan, Mn Svavel, S Zinkskikt  H-phrase  H412 - Aquatic Ch H315 - Skin Irrit. 2	interval (%) <=0.1 >97 <=0.6 <=0.2 <=1.7 <=0.045 <2	designation 7723-14-0 7439-89-6 7440-21-3 7440-44-0 7439-96-5 7704-34-9 7440-66-6  Exposure		

	12 F-	. 07	7400.00.0	
	Järn, Fe	>97	7439-89-6	
	Kisel, Si	<=0.6	7440-21-3	
	Kol, C	<=0.2	7440-44-0	
	Mangan, Mn	<=1.7	7439-96-5	
	Svavel, S	<=0.045	7704-34-9	
	Zinkskikt	<2	7440-66-6	
CAS	H-phrase		Exposure	
7723-14-0	H412 - Aquatic 0	Chronic 3	<u>-</u>	
7704-34-9	H315 - Skin Irrit.			
Other information:				
	ATERIALS			
Is there supporting recycling processes	g documentation for the raw ma es or similar (for example BES	aterials for third-party cer 6001:2008, EMS certification	tified system for control of origin, ravate, USGBC Program)? If yes, enter	w material extraction, manufacturing or system(s):
Raw materi	als			
Total recyc	led material in the a	article		
In regulad	material included in the article	2		
13 recycled	material included in the article	•		
Material				
Återvunnet stålskr	rot			
	te (from own productio	n)	Share of waste (from	other people's production)
0				
Recycled mat	terial (treated)		Recycled material	
100				
Weight/perce	nt by weight			
22 %				
Comment				
Renewable	material			
Enter proportion o	f renewable material in the arti	cle		
In alcohola di Li	obacod row material is tested s	according to ACTM to 1	nothed DCCCC	

4.

# Origin of raw material For this product, there has been no withdrawal of virgin fossil material If yes, please indicate what percentage of the material in question (or item?) Wood raw materials Wood raw materials are included Included wood raw material is certified How large a proportion is certified [%]? What certification system has been used (for example FSC, CSA, SFI with CoC, PEFC)? Reference number: Enter logging country for the wood raw material and that following criteria have been met. Country of logging: Does not contain type of wood or origin in CITES appendix of endangered species Which version of CITES has been used for the check? The timber has been logged legally and there is certification for this 5. ENVIRONMENTAL IMPACT Environmental impact during life cycle of the article, production phase module A1-A3 under EN Has environmental product declaration been drawn up according to EN 15804 or ISO 14025 for the article? These product-specific rules, known as PCR, have been applied: Registration number / ID number for EPD: EN 15804 and 2012:01 EPD №: S-P-00782

If there is environmental product declaration or other life cycle assessment, describe how the environmental impact of the article is taken into account

from a life cycle perspective:

The Declared Unit is 1 metric tonne

# 6. DISTRIBUTION

### Distribution of finished article

Does the supplier apply any system with multiple-use packaging for the	article?
No	
Does the supplier take back packaging for the article?	
No	
Is the supplier affiliated to a system for product responsibility for package	ging?
Yes	
If yes, which packaging and which system?	
FTI (förpacknings och tidningsinsamling)	
Can packaging/packaging be reused?	
Not applicable	
Can packaging/packaging be recycled?	
Not applicable	
Can packaging/packaging be energy recycled?	
Not applicable	
Does the supplier use Retursystem Byggpall?	
No	
Other information:	
. CONSTRUCTION PHASE Construction phase	
Does the article make special requirements in storage?	
No	
Specify	
Does the article make special requirements for surrounding building products?	
No	
Specify	
Other information:	
För produktdatablad och monteringsanvisning se www.gyproc.se	

### 8. USE PHASE

### Use phase

9.

Does the article make requirements for input materials for operation and maintenance?
No
Specify:
Does the article require supply of energy during operation?
No
Specify:
Estimated technical service life for the article:
>50 years
Comment:
Is there energy labelling under the Energy Labelling Directive (2010/30/EU) for the article?
Not applicable
If yes, enter labelling (G to A, A+, A+++, A+++):
If yes, enter marking (G to A)
Other information:
DEMOLITION
Demolition
Is the article prepared for disassembly (dismantling)?
Not applicable
Can the product be separated into pure material types for recycling?
Not applicable
Specify:
Does the article require special measures for protection of health and environment in demolition/disassembly?
No
Specify:
Other information:

# **10. WASTE MANAGEMENT**

### **Delivered article**

Is the supplied article covered by the Ordinance (2014:1075) on producer responsibility for electrical and electronic products when it becomes waste?
No
Is reuse possible for the whole or parts of the article when it becomes waste?
Yes
Specify:
Fullt återanvändbara.
Is material recovery possible for the whole or parts of the article when it becomes waste?
Yes
Specify:
Följ regler för källsortering
Is energy recovery possible for the whole or parts of the article when it becomes waste?
No
Specify:
Does the supplier have restrictions and recommendation for re-use, material or energy recovery or landfilling?
Yes
Specify:
Följ regler för källsortering
Waste code for the delivered article when it becomes waste
170405 - 05 Järn och stål.
When the supplied article becomes waste, is it classified as hazardous waste?
No
Mounted article
Is the mounted article classified as hazardous waste?
No
Other information

#### Other information

# 11. INDOOR ENVIRONMENT

### **Indoor environment**

The article is not intended for indoor use			
The article does not emit any substances			
Emissions from the article not measured			
Does the article have a critical moisture state?			
No			
If yes, state what:			
Noise	Electrical field	Magnetic fields	
Can the article give rise to own noise?	Can the article give rise to electrical fields?	Can the article give rise to magnetic fields?	
No	No	No	
Value:	Value:	Value:	
Unit:	Unit:	Unit:	
Measuring method:	Measuring method:	Measuring method:	
Paints and varnishes			
The article is resistant to fungi and algae in use in wet areas			
Emissions			

The article produces the following emissions in intended use:

### Other information

Se www.gyproc.se för mer information avseende dessa produkter.